

## 1. Identification

|   |  |
|---|--|
| <b>Product identifier</b>                                     | <b>CertainTeed Type X Gypsum Panels</b>  |
| <b>Other means of identification</b>                          |  |
| <b>Product identifier</b>                                     | 5/8" Abuse Resistant Type X, 5/8" CertainTeed® Type X, 5/8" CertainTeed® Exterior Soffit Type X, 5/8" Extreme Abuse, 5/8" Extreme Impact, 5/8" CertainTeed® Veneer Plaster Base Type X, 5/8" CertainTeed Patch and Repair Drywall Panels, CertainTeed® Type X CarbonLow™ |
| <b>Synonyms</b>   | Gypsum Panels  |
| <b>Recommended use</b>  | Gypsum panels for interior wall, ceiling, and exterior soffit applications.  |
| <b>Recommended restrictions</b>                               | None known.  |
| <b>Manufacturer/Importer/Supplier/Distributor information</b> |  |
| <b>Company name</b>   | CertainTeed Gypsum   |
| <b>Address</b>  | 20 Moores Road<br>Malvern, PA 19355<br>United States of America  |
| <b>Telephone</b>  | 1-800-233-8990   |
| <b>Website</b>  | www.certainteed.com  |
| <b>Emergency telephone</b>                                    | 3E Global Incident Response Hotline<br>+1 760 476 3962<br>+1 866 519 4752 (Toll Free)<br>Access Code: 336250   |

## 2. Hazard(s) identification

|  |  |
|--|--|
| <b>Physical hazards</b>                          | Not classified.  |
| <b>Health hazards</b>                            | Not classified.  |
| <b>OSHA defined hazards</b>                      | Not classified.  |
| <b>Label elements</b>                            |  |
| <b>Hazard symbol</b>                             | None.  |
| <b>Signal word</b>                               | None.  |
| <b>Hazard statement</b>                          | The mixture does not meet the criteria for classification.                     |
| <b>Precautionary statement</b>                   |  |
| <b>Prevention</b>                                | Observe good industrial hygiene practices.                                     |
| <b>Response</b>                                  | Wash hands after handling.   |
| <b>Storage</b>                                   | Store away from incompatible materials.  |
| <b>Disposal</b>                                  | Dispose of waste and residues in accordance with local authority requirements. |
| <b>Hazard(s) not otherwise classified (HNOC)</b> | None known.  |
| <b>Supplemental information</b>                  | None.  |

## 3. Composition/information on ingredients

### Mixtures

| <b>Chemical name</b>      | <b>CAS number</b> | <b>%</b> |
|---------------------------|-------------------|----------|
| Calcium sulfate dihydrate | 10101-41-4        | 80 - 100 |
| Cellulose                 | 9004-34-6         | 1 - 5    |

## Composition comments

The exact concentrations of the above listed chemicals are being withheld as a trade secret. All concentrations are in percent by weight. Components not listed are either non-hazardous or are below reportable limits.

Raw material in this product contains respirable crystalline silica as an impurity. Independent testing of this product suggests that under most conditions of use, this product will not result in exposure to respirable crystalline silica that exceeds OSHA's Action Level, (AL) or Permissible Exposure Limit (PEL). However, actual concentrations of respirable silica may vary based on the conditions of use. Specific exposures can only be determined by workplace industrial hygiene testing.

<https://www.certainteed.com/drywall/osha-crystalline-silica-techupdate-certainteed-gypsum-board-products>

## 4. First-aid measures

### Inhalation

In case of inhalation of dust: Move to fresh air. Call a physician if symptoms develop or persist.

### Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

### Eye contact

Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

### Ingestion

Rinse mouth. Get medical attention if symptoms occur.

### Most important

### symptoms/effects, acute and delayed

Dusts may irritate the respiratory tract, skin and eyes.

### Indication of immediate

### medical attention and special treatment needed

Treat symptomatically.

### General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

### Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

### Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

### Specific hazards arising from the chemical

During fire, hazardous combustion products are released that may include: Carbon oxides. Sulfur oxides. Fumes of metal oxides.

### Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

### Fire fighting

### equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

### Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

### General fire hazards

No unusual fire or explosion hazards noted.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. For personal protection, see section 8 of the SDS.

### Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Pick up and arrange disposal without creating dust. Collect dust using a vacuum cleaner equipped with HEPA filter. Recover and recycle, if practical. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

### Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

### Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Store in a dry place. Protect from weather and prevent exposure to sustained moisture. Protect from direct sunlight. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

| Components                | Type | Value                | Form                 |
|---------------------------|------|----------------------|----------------------|
| Cellulose (CAS 9004-34-6) | PEL  | 5 mg/m <sup>3</sup>  | Respirable fraction. |
|                           |      | 15 mg/m <sup>3</sup> | Total dust.          |

#### US. OSHA Table Z-3 Permissible Exposure Limits (PEL) for Mineral Dusts (29 CFR 1910.1000)

| Components                                 | Type | Value                | Form                 |
|--|------|----------------------|----------------------|
| Calcium sulfate dihydrate (CAS 10101-41-4) | TWA  | 5 mg/m <sup>3</sup>  | Respirable fraction. |
|  |      | 15 mg/m <sup>3</sup> | Total dust.          |
|  |      | 50 mppcf             | Total dust.          |
|  |      | 15 mppcf             | Respirable fraction. |
| Cellulose (CAS 9004-34-6)                  | TWA  | 5 mg/m <sup>3</sup>  | Respirable fraction. |
|  |      | 15 mg/m <sup>3</sup> | Total dust.          |
|  |      | 50 mppcf             | Total dust.          |
|  |      | 15 mppcf             | Respirable fraction. |

#### US. ACGIH Threshold Limit Values (TLV)

| Components                                 | Type | Value                | Form                |
|--|------|----------------------|---------------------|
| Calcium sulfate dihydrate (CAS 10101-41-4) | TWA  | 10 mg/m <sup>3</sup> | Inhalable fraction. |
| Cellulose (CAS 9004-34-6)                  | TWA  | 10 mg/m <sup>3</sup> |                     |

#### US. NIOSH: Pocket Guide to Chemical Hazards

| Components                | Type | Value                | Form        |
|---------------------------|------|----------------------|-------------|
| Cellulose (CAS 9004-34-6) | TWA  | 5 mg/m <sup>3</sup>  | Respirable. |
|                           |      | 10 mg/m <sup>3</sup> | Total       |

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Unvented, tight fitting goggles should be worn in dusty areas.

#### Skin protection

##### Hand protection

Wear suitable protective gloves to prevent cuts and abrasions. Suitable gloves can be recommended by the glove supplier.

##### Other

Normal work clothing (long sleeved shirts and long pants) is recommended.

#### Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Follow OSHA respirator regulations (29CFR 1910.134) and use NIOSH/MSHA approved respirators. Appropriate respirator selection should be made by a qualified professional.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

|                |        |
|----------------|--------|
| Physical state | Solid. |
| Form           | Solid. |

|   |                                       |
|---|---------------------------------------|
| <b>Color</b>  | White.                                |
| <b>Odor</b>   | Odorless.                             |
| <b>Odor threshold</b>                               | Not applicable.                       |
| <b>pH</b>   | Not applicable.                       |
| <b>Melting point/freezing point</b>                 | Not applicable.                       |
| <b>Initial boiling point and boiling range</b>      | Not applicable.                       |
| <b>Flash point</b>                                  | Not applicable.                       |
| <b>Evaporation rate</b>                             | Not applicable.                       |
| <b>Flammability (solid, gas)</b>                    | Not flammable.                        |
| <b>Upper/lower flammability or explosive limits</b> |                                       |
| <b>Explosive limit - lower (%)</b>                  | Not applicable.                       |
| <b>Explosive limit - upper (%)</b>                  | Not applicable.                       |
| <b>Vapor pressure</b>                               | Not applicable.                       |
| <b>Vapor density</b>                                | Not applicable.                       |
| <b>Relative density</b>                             | Not available.                        |
| <b>Solubility(ies)</b>                              |                                       |
| <b>Solubility (water)</b>                           | Insoluble in water.                   |
| <b>Partition coefficient (n-octanol/water)</b>      | Not applicable, product is a mixture. |
| <b>Auto-ignition temperature</b>                    | Not available.                        |
| <b>Decomposition temperature</b>                    | 2642 °F (1450 °C)                     |
| <b>Viscosity</b>                                    | Not applicable.                       |
| <b>Other information</b>                            |                                       |
| <b>Explosive properties</b>                         | Not explosive.                        |
| <b>Oxidizing properties</b>                         | Not oxidizing.                        |

## 10. Stability and reactivity

|   |  |
|---|--|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport.                  |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.  |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.  |
| <b>Conditions to avoid</b>                | Exposure to sunlight. Water, moisture. Contact with incompatible materials.                                    |
| <b>Incompatible materials</b>             | Strong oxidizing agents.   |
| <b>Hazardous decomposition products</b>   | Decomposition is not expected under normal conditions of use and storage. In the event of fire: See Section 5. |

## 11. Toxicological information

### Information on likely routes of exposure

|                     |                                       |
|---------------------|---------------------------------------|
| <b>Inhalation</b>   | Dust may irritate respiratory system. |
| <b>Skin contact</b> | Dust or powder may irritate the skin. |
| <b>Eye contact</b>  | Dust may irritate the eyes.           |
| <b>Ingestion</b>    | May cause discomfort if swallowed.    |

**Symptoms related to the physical, chemical and toxicological characteristics**      Dusts may irritate the respiratory tract, skin and eyes.

### Information on toxicological effects

|  |  |
|--|--|
| <b>Acute toxicity</b>                    | Not expected to be acutely toxic.                  |
| <b>Skin corrosion/irritation</b>         | May cause irritation through mechanical abrasion.  |
| <b>Serious eye damage/eye irritation</b> | Airborne dust may cause mechanical eye irritation. |

## Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

### NTP Report on Carcinogens

Not listed.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not an aspiration hazard.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available on bioaccumulation.

**Mobility in soil** The product is insoluble in water. Not expected to be mobile in soil.

**Other adverse effects** No data available for this product.

## 13. Disposal considerations

**Disposal instructions** Recover and reclaim or recycle, if practical. Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## 15. Regulatory information

**US federal regulations** This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not listed.

**Toxic Substances Control Act (TSCA)**

One or more components of the mixture are not on the TSCA 8(b) inventory or are designated "inactive".

**Superfund Amendments and Reauthorization Act of 1986 (SARA)****SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** No**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.**US state regulations****US. Massachusetts RTK - Substance List**

Calcium sulfate dihydrate (CAS 10101-41-4)

Cellulose (CAS 9004-34-6)

**US. New Jersey Worker and Community Right-to-Know Act**

Cellulose (CAS 9004-34-6)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Cellulose (CAS 9004-34-6)

**US. Rhode Island RTK**

Calcium sulfate dihydrate (CAS 10101-41-4)

Cellulose (CAS 9004-34-6)

**California Proposition 65**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).**International Inventories**

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Industrial Chemicals (AICIS)                   | No                     |
| Canada                      | Domestic Substances List (DSL)   | No                     |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                       | Existing Chemicals List (ECL)  | No                     |
| New Zealand                 | New Zealand Inventory  | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | No                     |
| Taiwan                      | Taiwan Chemical Substance Inventory (TCSI)                             | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | No                     |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 08-September-2023  
**Revision date** 03-April-2025  
**Revision notes** Section 1: Identification- Product Identifier  
**Version #** 02  
**Further information** E - Safety Glasses, Gloves, Dust Respirator  
**HMIS® ratings** Health: 0  
Flammability: 0  
Physical hazard: 0  
Personal protection: E

**Disclaimer** CertainTeed Gypsum cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.